# *CONTENTS VOL. 104, 1988*

*Research Papers*

Changes of steady-state infiltration rates in recurrent ponding infiltration experiments
M. Císlerová (Prague, Czechoslovakia), J. Šimůnek and T. Vogel
(Zbraslav, Czechoslovakia) . . . . . 1
Barometric tides in partly-saturated confined aquifers in Botswana
J.J. de Vries (Amsterdam, The Netherlands) and A. Gieske (Gaborone, Botswana). . . 17
The influence of scale of measurement on the spatial and temporal variability of the Philip infiltration parameters — An experimental study in an Australian savannah woodland
J. Williams and M. Bonell (Townsville, Qld., Australia) . . . . . 33
Definition of a capture zone for shallow water table lakes
L.R. Townley (Wembley, W.A., Australia) and M.R. Davidson (Lucas Heights, N.S.W., Australia) . . . . . 53
Geochemistry of cold $CO_2$-rich springs of the Scuol–Tarasp region, Lower Engadine, Swiss Alps
P. Wexsteen, F.C. Jaffé (Geneva, Switzerland) and E. Mazor (Rehovot, Israel) . . . . 77
The effect of small density changes on the movement of water through an unsaturated sand
J.C. Miles, H.R. Thomas (Cardiff, U.K.) and J. Ibrishami (Mashhad, Iran) . . . . . 93
Temporal patterns and spatial scale of soil water variability in a small humid catchment
T. Zhang and R. Berndtsson (Lund, Sweden) . . . . . 111
Effects of detention basins on in-stream sediment movement
G.E. Moglen and R.H. McCuen (College Park, Md., U.S.A.) . . . . . 129
Aluminium solubility relationships in acid waters — A practical example of the need for a radical reappraisal
C. Neal (Wallingford, U.K.) . . . . . 141
Canopy storage capacity and its vertical distribution in a Sitka spruce canopy
N.J. Hutchings, R. Milne and J.M. Crowther (Midlothian, U.K.). . . . . 161
The relationship between pore water velocity and longitudinal dispersivity of $Cl^-$, $Br^-$, and $D_2O$ in soils
R.G. Gerritse (Wembley, W.A., Australia) and R. Singh (Nedlands, W.A., Australia). . 173
Fate of acetone in an outdoor model stream in southern Missisippi, U.S.A.
R.E. Rathbun (Arvada, Colo, U.S.A.), D.W. Stephens (Salt Lake City, Utah, U.S.A.), D.J. Shultz (Reston, Va., U.S.A.) and D.Y. Tai (NSTL, Miss., U.S.A.). . . . . 181
Regional hydrogeology of the Silurian and Ordovician sedimentary rock underlying Niagara Falls, Ontario, Canada
K.S. Novakowski and P.A. Lapcevic (Burlington, Ont., Canada) . . . . . 211
Chemical and sediment mass transfer in the Yamuna River — A tributary of the Ganges system
P.K. Jha (Gujarat, India), V. Subramanian and R. Sitasawad (New Delhi, India) . . . 237
Development and testing of a multivariate, seasonal ARMA(1, 1) model
J.P. Haltiner (San Francisco, Calif., U.S.A.) and J.D. Salas (Fort Collins, Colo., U.S.A.) 247
Determination of an optimal aquifer yield, with Salt Lake County applications
B.O. Elwell (Salt Lake City, Utah, U.S.A.) and U. Lall (Logan, Utah, U.S.A.). . . . . 273
A dissipative finite element model for free surface flow
L. Anastasiadou-Partheniou and G.A. Terzidis (Thessaloniki, Greece) . . . . . 289
Three-component tracer model for stormflow on a small Appalachian forested catchment
D.R. DeWalle, B.R. Swistock and W.E. Sharpe (University Park, Pa., U.S.A.). . . . . 301

The rainfall movement — A valuable complement to short-term rainfall data
J. Niemczynowicz (Lund, Sweden) . . . . . 311
Remedial actions under variability of hydraulic conductivity
A.I. El-Kadi (Indianapolis, Ind., U.S.A.) . . . . . 327
Delineation of groups for regional flood frequency analysis
D.H. Burn (Winnipeg, Man., Canada) . . . . . 345

*Technical Note*

An analytical kinematic model for the rising limb of overland flow on infiltrating parabolic shaped surfaces
J.L.M.P. de Lima and W.H. van der Molen (Wageningen, The Netherlands). . . . . 363

*Subject Index Volumes 99–104* . . . . . 371